

IND-SPHINX[®]

PCB DRILLS | PCB ROUTERS
PCB SPECIALS

PCB Depaneling Routing Bits



Also available



Longer tool life
High heat resistance
High dimensional accuracy
Ultra fine tungsten carbide grades



www.indsphinx.com




QUALITY • PRECISION • CONSISTENCY

**HIGH PERFORMANCE
DEPANELING ROUTER**

P650

d	l
1.40*	7.00
1.50*	8.00
1.60	8.00
1.80*	8.00
2.00	8.00
2.40*	10.50
2.50	10.50




Article P650 RHRC



DIAMOND CUT ROUTER

P627

d	l
0.70*	5.00 -
0.80* / 0.90*	5.00 7.00
1.00	5.00 7.00
1.10*	5.00 7.00
1.20	5.00 7.00
1.30*	5.00 7.00
1.40*	5.00 7.00
1.50 / 1.60	8.50 -
1.80	8.50 -
2.00	9.00 10.50
2.10* / 2.20*	9.00 10.50*
2.30	9.00 10.50*
2.40	9.00 10.50
2.50	9.00 10.50
2.60* / 2.80*	9.00 -
2.90*	9.00 -
3.00* / 3.175*	9.00 10.50




Article P627* LHRC



CHIP BREAKER ROUTER

P726 / P727

d	l
0.40*	2.00 - -
0.50* / 0.60*	3.00 4.00 -
0.70*	4.00 5.00 -
0.80	5.00 6.00 7.00*
0.90	5.00 6.00 7.00*
1.00	5.00 7.00 8.50*
1.10*	5.00 7.00 8.50*
1.20	5.00 7.00 8.50*
1.30* - 1.40*	5.00 7.00 8.50*
1.50	8.50 - -
1.60	8.50 - -
1.70* - 1.90*	8.50 - -
2.00	9.00 - -
2.10*	9.00 - -
2.40*	9.00 - -
2.50* - 2.90*	9.00 - -
3.00* / 3.175*	9.00 - -



Article P726 RHRC




Article P727* LHRC




**PCB DIAMOND CUT ROUTER
DIAMOND COATED**

X626R

d	l
0.80	4.00 5.00
1.00	5.00 6.50
1.20	- 7.00
1.50 / 1.60	7.50 8.50
1.80	7.50 8.50
2.00 / 2.40 / 2.50	9.00 10.00
3.00 / 3.175	- 10.00



Article X626R



UP CUT Compatible for machine with Upward Vacuum

DOWN CUT Compatible for machine with Downward Vacuum

All dimensions are in mm

D : Ø 1/8" (3.175 mm) Common Shank

On Request Shank Dia 3mm




QUALITY • PRECISION • CONSISTENCY

www.indspinx.com
customerfocus@indspinx.com

**PCB CHIP BREAKER ROUTER
DIAMOND COATED**

X740 / X727

d	l	
0.40	-	3.50
0.60	3.00	4.00
0.80	-	5.00
1.00	5.00	6.50
1.20	6.00	7.00
1.50 / 1.60 / 1.80	7.50	8.50
2.00 / 2.40 / 2.50	9.00	10.00
3.00 / 3.175	-	10.00



Article X740R




Article X727R



**PCB 1-FLUTE ROUTER
DIAMOND COATED**

X926 / X924

d	l (X926R)		l (X924R)	
1.60	4.00	-	-	-
1.80	4.00	-	-	-
2.00	4.00	6.00	5.00	-
2.40	-	6.00	-	-
3.00	-	6.00	5.00	-



Article X926R




Article X924R



2 FLUTE ALUMINIUM ROUTER

DLC COAT P024

d	l	
1.60	8.00	-
2.00	9.00	-
2.40	9.00	-
3.00	10.00	-




Article P024



**DIAMOND COATED
2 FLUTE ROUTER**

X829R

d	l	
0.40 / 0.60	-	2.00
0.80	-	2.00
1.00 / 1.20	-	3.00
1.40	-	3.00
1.50 / 1.60	3.00	5.00
1.80	-	5.00
2.00	4.00	6.00
2.40 / 2.50 / 3.00	-	6.00



Article P8291D



On request : Inch sizes / Special dimensions

* : Non stock items / Articles



IND - SPHINX PRECISION LTD
 Plot Number 28, Sector 5, Parwanoo
 Himachal Pradesh India 173220
 ☎ +91 1792 232860 / 232960
 ✉ customerfocus@indsphinx.com 🌐 www.indsphinx.com



AXIS Europe GmbH
 Danziger Str. 3, 88250 Weingarten
 ☎ +49 (0)751 560 1589 - 0
 ✉ info@axis-europe.eu 🌐 www.axis-europe.eu

IND-SPHINX®
 ■ PCB DRILLS | PCB ROUTERS ■
 PCB SPECIALS

