



SCHILDKNECHT

DATAEAGLE 3000



DATAEAGLE®



**PROFI®
BUS**

**PROFI®
NET**

X-treme



DATAEAGLE 3000

DATAEAGLE 3000-

PROFIBUS DP

1,5 /

o

o

PROFIBUS DP
Plug&Play

o

DATAEAGLE 3002-A

o

PROFISAFE PROFIBUS DP

o

100 300 (3700-) 1 3 (3300-)

o

www.creativetechnology.ru



o

o

o

o

o

o

o

o

o

o

o





DATAEAGLE X-TREME 3702-A



o

	24	DC
		12, A-coded
	100	
	4	
	IP65	
		-20...+60 °C
	280	
	88	
	120	
	42	

o

	2,4	
	100	
Slave-	3	
	100	
	300	
	SMA	- 50

o

PROFIBUS	1,5	/
PROFIBUS		12, B-coded
DP Slave-	8	
PROFIsafe		

o

Master	11300
Slave	11301



DATAEAGLE X-TREME 3703-A



○

	24	DC
	12, A-coded	
	100	
	4	
	IP65	
	-20...+60 °C	
	280	
	88	
	120	
	42	

○

	2,4	
	100	
Slave-	3	
	100	
	300	
	SMA	- 50

○

	PROFIBUS	1,5	/
	PROFIBUS	12, B-coded	
	DP Slave-	4	
PROFIsafe		-	

○

Master	11302
Slave	11303



DATAEAGLE X-TREME 3715-A



o

24	DC
	12, A-coded
100	
4	
IP65	
-20...+60 °C	
280	
88	
120	
42	

o

2,4	
100	
Slave-	1
100	
300	
SMA	- 50

o

PROFIBUS	1,5	/
PROFIBUS	12, B-coded	
DP Slave-	4	
PROFIsafe	-	

o

Master	11320
Slave	11321



DATAEAGLE X-TREME 3705-A



○		24	DC
		12	A-coded
		100	
		4	
		IP65	
		-20...+60	°C
		280	
		88	
		120	
		42	
○		2,4	
		100	
	Slave-	1	
		100	
		300	
		SMA	- 50
○	PROFIBUS	1,5	/
	PROFIBUS	12	B-coded
	DP Slave-	4	
	PROFIsafe	-	
○	Master	11304	
	Slave	11305	

DATAEAGLE X-TREME 3323-A



o

24	DC
	12, A-coded
100	
4	
	IP65
	-20...+60 °C
300	
88	
120	
42	

o

869	
500	
Slave-	3
300	
1	3
SMA	- 50

o

PROFIBUS	15	/
PROFIBUS	12, B-coded	
DP Slave-	4	
PROFIsafe	-	

o

Master	11308
Slave	11309





« »

125310, . , . 54, . 1, 204/1

: +7(495)181-23-88

Web: www.creativtechnology.ru

E-mail: office@creativetechlogyns.ru