



SCHILDKNECHT

DATAEAGLE 4000



DATAEAGLE®





DATAEAGLE 4000

DATAEAGLE 4000

PROFINET IO

o

o

o

o

o

o

PROFINET IO
Plug&Play

DATAEAGLE 4002

PROFISAFE PROFINET IO

100 300 (47)

1 3 (43)

www.creativetechnology.ru



o

o

o

o

o

o

o

o

o

o





DATAEAGLE X-TREME 4702



o

24	DC
M12, A-coded	
150	
4	
IP65	
-20...+60 °C	
280	
88	
120	
42	

o

2,4	
100	
Slave-	3
100	
300	
SMA	- 50

o

PROFINET	100
2-	-
PROFINET	M12, D-coded
PROFINET Slave-	6
PROFIsafe	

o

11400	
-------	--



DATAEAGLE X-TREME 4715



o

	24	DC
	M12	
	150	
	4	
	IP65	
	-20...+60 °C	
	280	
	88	
	120	
	42	

o

	2,4	
	100	
Slave-	1	
	100	
	300	
	SMA	- 50

o

PROFINET	100	
2-	-	
PROFINET	M12, D-coded	
PROFINET Slave-	4	
PROFIsafe	-	

o

	11420	
--	-------	--



DATAEAGLE X-TREME 4703



○		24 DC
		M12
		150
		4
		IP65
		-20...+60 °C
		280
		88
		120
		42
○		2,4
		100
	Slave-	3
		100
		300
		SMA - 50
○	PROFINET	100
	2-	-
	PROFINET	M12, D-coded
	PROFINET Slave-	4
	PROFIsafe	-
○		11401



DATAEAGLE X-TREME 4323



o

	24	DC
		M12, A-coded
	250	
	4	
	IP65	
	-20...+60 °C	
	300	
	88	
	120	
	42	

o

	869	
	500	
Slave-	3	
	300	
	1 - 3	
	SMA	- 50

o

	PROFINET	100
2-		-
	PROFINET	M12, D-coded
	PROFINET Slave-	4
PROFIsafe		-

o

	11403	
--	-------	--



« »

125310, . , . 54, . 1, 204/1

: +7(495)181-23-88

Web: www.creativtechnology.ru

E-mail: office@creativetechlogyns.ru